

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Cytokeratin 8 (KRT8) Antibody, IgG1, Clone: [K8.8], Mouse, Monoclonal NBT-3856-MSM7-P1ABX

| | |
|----------------------------|---|
| Article Name | Cytokeratin 8 (KRT8) Antibody, IgG1, Clone: [K8.8], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-3856-MSM7-P1ABX |
| Supplier Catalog Number | 3856-MSM7-P1ABX |
| Alternative Catalog Number | NBT-3856-MSM7-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | FC, IF, IHC, WB |
| Species Reactivity | Human |
| Immunogen | Keratin preparation from a human carcinoma |
| Product Description | Epitope of this MAb is located between aa343-357. Cytokeratin 8 (CK8) belongs to the type II (or B or basic) subfamily of high molecular weight cytokeratins and exists in combination with cytokeratin 18 (CK18). CK8 is primarily found in the non-squam... |
| Clonality | Monoclonal |
| Clone Designation | [K8.8] |
| Molecular Weight | 52.5kDa |
| Isotype | IgG1 |
| NCBI | 3856 |

| | |
|-------------------|--|
| UniProt | P05787 |
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA |