

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant MTAP (Tumor Suppressor Marker) Antibody, IgG1, Clone: [rMTAP/1813], Mouse, Monoclonal NBT-4507-MSM4-P1ABX

| | |
|----------------------------|---|
| Article Name | Recombinant MTAP (Tumor Suppressor Marker) Antibody, IgG1, Clone: [rMTAP/1813], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-4507-MSM4-P1ABX |
| Supplier Catalog Number | 4507-MSM4-P1ABX |
| Alternative Catalog Number | NBT-4507-MSM4-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC, WB |
| Species Reactivity | Human |
| Immunogen | Recombinant human MTAP protein fragment (aa97-196) (exact sequence is proprietary) |
| Product Description | Recognizes a protein of 31kDa, which is identified as MTAP (5-deoxy-5-methylthioadenosine phosphorylase). It catalyzes the reversible phosphorolysis of methylthioadenosine, which is important in polyamine metabolism and for the salvage of adenine and... |
| Clonality | Monoclonal |
| Clone Designation | [rMTAP/1813] |
| Molecular Weight | 31kDa |
| Isotype | IgG1 |

| | |
|-------------------|---|
| NCBI | 4507 |
| UniProt | Q13126 |
| Form | 200ug/ml of Ab produced in HEK293 cell mammalian-based expression system. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95degC followed by cooling at RT for 20 minutes),Optimal di |