

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Polyclonal Rabbit anti-Human CFLAR / FLIP Antibody (IHC, IF, WB) LS-C274 **LS-C274-0.1**

| | |
|----------------------------|---|
| Article Name | Polyclonal Rabbit anti-Human CFLAR / FLIP Antibody (IHC, IF, WB) LS-C274 |
| Biozol Catalog Number | LS-C274-0.1 |
| Supplier Catalog Number | LS-C274-0.1 |
| Alternative Catalog Number | LS-C274-0.1 |
| Manufacturer | LifeSpan Biosciences |
| Host | Rabbit |
| Category | Antikörper |
| Application | ELISA, FC, ICC, IF, IHC, WB |
| Species Reactivity | Human, Mouse, Rat |
| Immunogen | A peptide corresponding to 17 amino acids near the N-Terminus of human FLIP. The sequence is identical in all FLIP splice variants. The immunogen is located within the first 50 amino acids of FLIP. |
| Conjugation | Unconjugated |
| Product Description | FLIP antibody LS-C274 is an unconjugated rabbit polyclonal antibody to FLIP (CFLAR) from human. It is reactive with human, mouse and rat. Validated for ELISA, Flow, ICC, IF, IHC and WB.... |
| Clonality | Polyclonal |
| Concentration | 1 mg/ml |
| NCBI | 8837 |

| | |
|--------------------|--|
| Buffer | PBS containing 0.02% Sodium Azide |
| Purity | Peptide Column Affinity Chromatography |
| Form | PBS containing 0.02% Sodium Azide |
| Application Dilute | ELISA, Flo, ICC, IF, IHC, WB (1:500 - 1:1000) |
| Application Notes | FLIP antibody can be used for Western blot at 1 - 2 ug/mL. Antibody can also be used for immunocytochemistry starting at 5 ug/mL and immunohistochemistry starting at 5 ug/mL. For immunofluorescence start at 20 ug/mL. Antibody validated: Western Blot in h |