

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **n-Myc (Neuroblastoma Marker)(NMYC-1), CF405S conjugate, 0.1mg/mL, Clone: [NMYC-1], Mouse, Monoclonal BOT-BNC042726-500**

Article Name	n-Myc (Neuroblastoma Marker)(NMYC-1), CF405S conjugate, 0.1mg/mL, Clone: [NMYC-1], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC042726-500
Supplier Catalog Number	BNC042726-500
Alternative Catalog Number	BOT-BNC042726-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Species Reactivity	Human, Mouse, Rat
Immunogen	Recombinant full-length human n-Myc protein.
Conjugation	CF405S
Product Description	The v-Myc oncogene, initially identified in the MC29 avian retrovirus, causes myelocytomas, carcinomas, sarcomas and lymphomas, and belongs to a family of oncogenes conserved throughout evolution. In humans, the family consists of five genes: c-Myc, ...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[NMYC-1]
Molecular Weight	67 kDa

UniProt	<a href="#">P04198</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry