

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

VLDL-Receptor (Very Low Density Lipoprotein Receptor)(VLDLR/2896R), CF647 conjugate, 0.1mg/mL, Clone: [VLDLR/2896R], Rabbit, Monoclonal BOT-BNC472896-500

Article Name	VLDL-Receptor (Very Low Density Lipoprotein Receptor)(VLDLR/2896R), CF647 conjugate, 0.1mg/mL, Clone: [VLDLR/2896R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNC472896-500
Supplier Catalog Number	BNC472896-500
Alternative Catalog Number	BOT-BNC472896-500-500UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Species Reactivity	Human, Rat
Immunogen	Recombinant human VLDLR fragment from c-terminal
Conjugation	CF647
Product Description	VLDLR (very low density lipoprotein receptor) is a member of the LDL receptor gene family, which includes LDL receptor, LRP, megalin, VLDLR and ApoER2. The LDL receptor family is characterized by a cluster of cysteine-rich class A repeats, epidermal ...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[VLDLR/2896R]
Molecular Weight	143-161 kDa

UniProt	P98155
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry