

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

HLA-Aw32 & HLA-A25 (MHC I)(CATA-1), 0.2mg/mL, Clone: [CATA-1], Mouse, Monoclonal BOT-BNUB1073-100

Article Name	HLA-Aw32 & HLA-A25 (MHC I)(CATA-1), 0.2mg/mL, Clone: [CATA-1], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNUB1073-100
Supplier Catalog Number	BNUB1073-100
Alternative Catalog Number	BOT-BNUB1073-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Normal human peripheral blood lymphocytes of phenotype A1, Aw32, B7, B37, Cw-, Cw-, DR2, DRw10
Product Description	This MAb reacts with cells bearing HLA-A25 or HLA-Aw32 antigens. In addition, a reaction was observed with a cell of phenotype A2, Aw31, B17, Bw49. HLA-A, with HLA-B and HLA-C, belongs to major histocompatibility complex (MHC) class I antigens and ex...
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[CATA-1]
Molecular Weight	kDa

UniProt	P01889
Buffer	PBS, 0.05% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user