

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CDw17(H018.3G-6.F5), 0.2mg/mL, IgM, Clone: [H018.3G-6.F5], Mouse, Monoclonal BOT-BNUB1092-100**

|                            |                                                                                                                                                                                                                                                               |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name               | CDw17(H018.3G-6.F5), 0.2mg/mL, IgM, Clone: [H018.3G-6.F5], Mouse, Monoclonal                                                                                                                                                                                  |
| Biozol Catalog Number      | BOT-BNUB1092-100                                                                                                                                                                                                                                              |
| Supplier Catalog Number    | BNUB1092-100                                                                                                                                                                                                                                                  |
| Alternative Catalog Number | BOT-BNUB1092-100-100UL                                                                                                                                                                                                                                        |
| Manufacturer               | Biotium                                                                                                                                                                                                                                                       |
| Host                       | Mouse                                                                                                                                                                                                                                                         |
| Category                   | Antikörper                                                                                                                                                                                                                                                    |
| Species Reactivity         | Human                                                                                                                                                                                                                                                         |
| Immunogen                  | ?-2 Microglobulin associated proteins from a detergent lysate of human PBL                                                                                                                                                                                    |
| Product Description        | CDw17 / CD17 is an intermediate glycosphingolipid from the metabolism of higher gangliosides that localizes to sphingolipid-sterol rafts. CD17 is detectable in monocytes, granulocytes, basophils, platelets, a subset of peripheral B cells (CD19 ) and ... |
| Clonality                  | Monoclonal                                                                                                                                                                                                                                                    |
| Concentration              | 0.2 mg/mL                                                                                                                                                                                                                                                     |
| Clone Designation          | [H018.3G-6.F5]                                                                                                                                                                                                                                                |
| Molecular Weight           | Not Known                                                                                                                                                                                                                                                     |
| Isotype                    | IgM                                                                                                                                                                                                                                                           |

|                   |                                                                                                                                                                                                                                                                                    |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UniProt           | Not Known                                                                                                                                                                                                                                                                          |
| Buffer            | PBS, 0.05% BSA, 0.05% azide                                                                                                                                                                                                                                                        |
| Source            | Animal                                                                                                                                                                                                                                                                             |
| Application Notes | For coating for ELISA, order Ab without BSA Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |