

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

GM-CSF(BVD2-21C11), 1mg/mL, Clone: [BVD2-21C11], Rat, Monoclonal BOT-BNUM0662-50

| | |
|----------------------------|---|
| Article Name | GM-CSF(BVD2-21C11), 1mg/mL, Clone: [BVD2-21C11], Rat, Monoclonal |
| Biozol Catalog Number | BOT-BNUM0662-50 |
| Supplier Catalog Number | BNUM0662-50 |
| Alternative Catalog Number | BOT-BNUM0662-50-50UL |
| Manufacturer | Biotium |
| Host | Rat |
| Category | Antikörper |
| Application | ELISA, FC, IF |
| Species Reactivity | Human, Primate |
| Immunogen | Recombinant human GM-CSF protein |
| Product Description | Granulocyte/macrophage colony-stimulating factor (GM-CSF) is a hematopoietic factor that is produced by activated T-cells, B-cells, mast cells, macrophages, fibroblasts, and endothelial cells. In addition to supporting colony formation of granulocyte... |
| Clonality | Monoclonal |
| Concentration | 1 mg/mL |
| Clone Designation | [BVD2-21C11] |
| Molecular Weight | 22 kDa |
| UniProt | P04141 |

| | |
|-------------------|---|
| Buffer | PBS, no BSA, no azide |
| Source | Animal |
| Application Notes | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunoprecipitation: 0.5-1 ug/500 ug protein lysate Immunofluorescence: 0.5-1 ug/mL Immunohistology (frozen) 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Neutralization Studies order Ab without azide Optimal dilution for a specific application should be determined by user |