

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **TSH-Receptor, A-Chain (Thyroid Marker) (TSHRA/1401), CF740 conjugate, 0.1mg/mL, IgG1, Clone: [TSHRA/1401], CF 740, Mouse, Monoclonal BOT-BNC741401-100**

Article Name	TSH-Receptor, A-Chain (Thyroid Marker) (TSHRA/1401), CF740 conjugate, 0.1mg/mL, IgG1, Clone: [TSHRA/1401], CF 740, Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC741401-100
Supplier Catalog Number	BNC741401-100
Alternative Catalog Number	BOT-BNC741401-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Species Reactivity	Human
Immunogen	A-Chain protein Recombinant human TSHR
Conjugation	CF 740
Product Description	Thyroid-stimulating hormone (TSH, also known as thyrotropin) is a glycoprotein involved in the control of thyroid structure and metabolism, which stimulates the release of the thyroid hormones. TSH is regulated by thyroid hormone (T3) and various ret...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[TSHRA/1401]
Molecular Weight	62 kDa

Isotype	IgG1
UniProt	<a href="#">P16473</a>
Buffer	PBS, 0.1% rBSA, 0.05% azide
Source	Animal
Application Notes	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry