

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

MFGE8 Antibody, Clone: [MFG-06], Mouse, Monoclonal NSJ-V2703-20UG

Article Name	MFGE8 Antibody, Clone: [MFG-06], Mouse, Monoclonal
Biozol Catalog Number	NSJ-V2703-20UG
Supplier Catalog Number	V2703-20UG
Alternative Catalog Number	NSJ-V2703-20UG
Manufacturer	NSJ Bioreagents
Host	Mouse
Category	Antikörper
Application	IHC-P
Species Reactivity	Human
Immunogen	A human milk fat globule membrane preparation was used as the immunogen for the MFGE8 antibody.
Product Description	Recognizes a protein of 40-45kDa, identified as human milk fat globule membrane protein (HMFG), Lactadherin, or MFG-E8. HMFG is present on normal human breast epithelial cells and cell lines derived from breast carcinomas, as well as to the outer sur...
Clonality	Monoclonal
Clone Designation	[MFG-06]
UniProt	Q08431
Purity	Protein G affinity chromatography

Form	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Antibody Type	Primary Antibody
Application Dilute	Immunohistochemistry (FFPE): 0.5-1ug/ml for 30 min at RT
Application Notes	Optimal dilution of the MFGE8 antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.