

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Nuclear Marker Antibody, Clone: [NM106], Unconjugated, Mouse, Monoclonal BYT-ORB749989

Article Name	Nuclear Marker Antibody, Clone: [NM106], Unconjugated, Mouse, Monoclonal
Biozol Catalog Number	BYT-ORB749989
Supplier Catalog Number	orb749989
Alternative Catalog Number	BYT-ORB749989-20,BYT-ORB749989-100
Manufacturer	Biorbyt
Host	Mouse
Category	Antikörper
Application	IF, IHC-P
Species Reactivity	Human, Mouse, Rat
Immunogen	Nuclei of HL60 cells were used as the immunogen for the Nuclear Marker antibody.
Conjugation	Unconjugated
Product Description	This mAb is an excellent marker for all nuclei in cells in tissues. It is a part of a new panel of reagents, which recognizes subcellular organelles or compartments of cells. These markers may be useful in identification of these organelles in cells,...
Clonality	Monoclonal
Clone Designation	[NM106]

Buffer	0.2 mg/ml in 1X PBS with 0.1 mg/ml rAlbumin and 0.05% sodium azide
Application Dilute	Immunofluorescence: 1-2ug/ml, Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT
Application Notes	Application Notes: Optimal dilution of the Nuclear Marker antibody should be determined by the researcher.1. Staining of formalin-fixed tissues is enhanced by boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 min.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min