

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu CD107a APC, Clone: [H4A3], Monoclonal EXB-1A-671-T100

| | |
|----------------------------|---|
| Article Name | Anti-Hu CD107a APC, Clone: [H4A3], Monoclonal |
| Biozol Catalog Number | EXB-1A-671-T100 |
| Supplier Catalog Number | 1A-671-T100 |
| Alternative Catalog Number | EXB-1A-671-T100 |
| Manufacturer | EXBIO |
| Category | Antikörper |
| Application | FC |
| Species Reactivity | Human, Mouse, Primate |
| Immunogen | Human PBMC |
| Conjugation | APC |
| Product Description | CD107a (lysosome-associated membrane protein-1, LAMP-1), together with LAMP-2, is a major constituent of lysosomal membrane, 1-2% of total CD107a is found also on the plasma membrane. The LAMP proteins are involved in lysosome biogenesis and are requ... |
| Clonality | Monoclonal |
| Clone Designation | [H4A3] |
| Isotype | Mouse IgG1 kappa |
| Buffer | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |

| | |
|--------------------|---|
| Storage | 2°C to 8°C |
| Target | CD107a |
| Antibody Type | Monoclonal Antibody |
| Application Dilute | Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests. |
| Application Notes | Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests. Intracellular and extracellular staining. |