

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Goat anti-Rat IgG (H&L), TRITC conjugated, min, cross-reactivity to human, mouse IgG, Polyclonal AGR-AS10-1152**

|                            |                                                                                                                                                                                                                                                               |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name               | Goat anti-Rat IgG (H&L), TRITC conjugated, min, cross-reactivity to human, mouse IgG, Polyclonal                                                                                                                                                              |
| Biozol Catalog Number      | AGR-AS10-1152                                                                                                                                                                                                                                                 |
| Supplier Catalog Number    | AS10-1152                                                                                                                                                                                                                                                     |
| Alternative Catalog Number | AGR-AS10-1152                                                                                                                                                                                                                                                 |
| Manufacturer               | Agrisera                                                                                                                                                                                                                                                      |
| Host                       | Goat                                                                                                                                                                                                                                                          |
| Category                   | Antikörper                                                                                                                                                                                                                                                    |
| Conjugation                | tritic                                                                                                                                                                                                                                                        |
| Product Description        | Goat anti-rat IgG (H&L), Rhodamine (TRITC-tetramethylrhodamine-5-isothiocyanate) conjugated, is a secondary antibody which binds to rat IgGs in immunological assays. TRITC has Amax = 550 nm, Emax = 570 nm. Antibodies are adsorbed against human,mouse ... |
| Clonality                  | Polyclonal                                                                                                                                                                                                                                                    |
| Purity                     | Immunogen affinity purified IgG.                                                                                                                                                                                                                              |
| Form                       | Lyophilized                                                                                                                                                                                                                                                   |
| Antibody Type              | Polyclonal Antibody                                                                                                                                                                                                                                           |
| Application Dilute         | 1 : 20-1 : 2000 (IHC), 1 : 50-1 : 5000 (ICC) (Flow cyt)                                                                                                                                                                                                       |

Application Notes

For reconstitution add 1,1 ml of sterile water, Let it stand 30 minutes at room temperature to dissolve, Prepare fresh working dilutions daily