

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat anti Chicken IgG Fab, Clone: [Polyclonal], Monoclonal NMB-GACH/FAB

Artikelname	Goat anti Chicken IgG Fab, Clone: [Polyclonal], Monoclonal
Artikelnummer	NMB-GACH/FAB
Hersteller Artikelnummer	GACH/Fab
Alternativnummer	NMB-GACH/FAB
Hersteller	NordicMubio
Wirt	Goat
Kategorie	Antikörper
Spezies Reaktivität	Gallus
Konjugation	Unconjugated
Format	Antiserum
Spezifität	IgG (F(ab') ₂)
Minimale Kreuzreaktivität (MinX)	no cross-adsorbtion
Produktbeschreibung	The antiserum is reacting with the Fab subunits IgG, IgA, IgM and other Ig classes of both light chain type, with their Fab or F(ab) ₂ subunits and with free light chains of kappa and lambda type. It does not react with any non-Ig protein in chicken s...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]

Puffer	Delipidated, heat inactivated, lyophilized stable whole serum No preservative added, as it may interfere with the antibody activity. No foreign protein added. Total protein and IgG concentration in the antiserum are comparable to those of pooled goat seru
Quelle	Purified Fab of normal IgG isolated from pooled chicken serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
Formel	Delipidated, heat inactivated, lyophilized stable whole serum No preservative added, as it may interfere with the antibody activity. No foreign protein added. Total protein and IgG concentration in the antiserum are comparable to those of pooled goat ser
Antibody Type	Secondary Antibody
Anwendungsbeschreibung	Precipitation assays. In immunoelectrophoresis use 2 µl or equivalent against 120 µl antiserum. In double radial immunodiffusion use a rosette arrangement with 10 µl antiserum in a 3 mm diameter centre well and 2 µl serum samples (neat and diluted) in 2 mm diameter peripheral wells