

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-Human MIG Antibody, Mouse, Monoclonal ABT-ABG10395-U500

Artikelname	Anti-Human MIG Antibody, Mouse, Monoclonal
Artikelnummer	ABT-ABG10395-U500
Hersteller Artikelnummer	ABG10395-U500
Alternativnummer	ABT-ABG10395-U500-500UG
Hersteller	Abcepta
Wirt	Mouse
Kategorie	Antikörper
Applikation	ELISA, WB
Spezies Reaktivität	Human
Klonalität	Monoclonal
Reinheit	Produced in BALB/c mice using highly pure (>98%) recombinant human MIG as the immunizing antigen. This IgG1K antibody was purified from cell culture by Protein G affinity chromatography.
Formulierung	A sterile filtered antibody solution was lyophilized from PBS.
Antibody Type	Monoclonal Antibody

Anwendungsbeschreibung	WesternBlot: To detect hMIG by Western Blot analysis this antibody can be used at a concentration of 0.50-2.0 µg/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant hMIG is 0.25-0.50 ng/lane, under non-reducing conditions and 2.0-4.0 ng/lane, under reducing conditions.. Sandwich: In a sandwich ELISA (assuming 100µl/well), a concentration of 2.0-4.0 µg/ml of this antibody will detect at least 1000 pg/ml of recombinant human MIG when used with BioGems biotinylated antigen affinity purified anti-human MIG (60-223BT) as the detection antibody at a concentration of approximately 1.0-2.0 µg/ml.. Neutralization: To yield one-half maximal inhibition [ND50] of the biological activity of Human MIG (100 ng/ml), a concentration of 5.0-10.0 µg/ml of this antibody is required.. Reconstitution: Centrifuge vial prior to opening. Reconstitute in sterile water to a concentration of 0.1-1.0 mg/ml.
------------------------	--