

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Recombinant CD30 / TNFRSF8 (Hodgkin & Reed-Sternberg Cell Marker) Antibody, Clone: [Ki-1/4399R], Rabbit, Monoclonal NBT-943-RBM10-P0**

Artikelname	Recombinant CD30 / TNFRSF8 (Hodgkin & Reed-Sternberg Cell Marker) Antibody, Clone: [Ki-1/4399R], Rabbit, Monoclonal
Artikelnummer	NBT-943-RBM10-P0
Hersteller Artikelnummer	943-RBM10-P0
Alternativnummer	NBT-943-RBM10-P0-20,NBT-943-RBM10-P0-100
Hersteller	NeoBiotechnologies
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant fragment of human TNFRSF8 protein (CD30) (Epitope is cytoplasmic aa 495-595)
Produktbeschreibung	Recognizes a single chain glycoprotein of 105/120kDa, identified as CD30/Ki-1. Its epitope is located somewhere between aa 580-595 (cytoplasmic). CD30 is synthesized as a 90kDa precursor, which is processed in the Golgi complex into a membrane-bound ...
Klonalität	Monoclonal
Klon-Bezeichnung	[Ki-1/4399R]
Molekulargewicht	105-120kDa

NCBI	<a href="#">943</a>
UniProt	<a href="#">P28908</a>
Formulierung	200ug/ml of Ab purified by Protein A Column. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 &degC followed by cooling at RT for 20 minutes),Optimal diluti