

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Fascin-1(FSCN1/418), CF640R conjugate, 0.1mg/mL, Clone: [FSCN1/418], Mouse, Monoclonal BOT-BNC400418-100**

Artikelname	Fascin-1(FSCN1/418), CF640R conjugate, 0.1mg/mL, Clone: [FSCN1/418], Mouse, Monoclonal
Artikelnummer	BOT-BNC400418-100
Hersteller Artikelnummer	BNC400418-100
Alternativnummer	BOT-BNC400418-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Human, Rat
Immunogen	Full length recombinant human FSCN1 protein
Konjugation	CF640R
Produktbeschreibung	Recognizes a protein of 55 kDa, which is identified as fascin-1. Its actin binding ability is regulated by phosphorylation. Antibody to fascin-1 is a very sensitive marker for Reed-Sternberg cells and variants in nodular sclerosis, mixed cellularity,...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[FSCN1/418]

Molekulargewicht	55 kDa
UniProt	<a href="#">Q16658</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 1 mM EDTA, pH 8.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user