

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-Vimentin Purified, Clone: [VI-01], Monoclonal EXB-11-254-C100

Artikelname	Anti-Vimentin Purified, Clone: [VI-01], Monoclonal
Artikelnummer	EXB-11-254-C100
Hersteller Artikelnummer	11-254-C100
Alternativnummer	EXB-11-254-C100
Hersteller	EXBIO
Kategorie	Antikörper
Applikation	FC, ICC, IHC-P, WB
Spezies Reaktivität	Mammal
Immunogen	Pellet of porcine brain cold stable proteins after depolymerization of microtubules.
Produktbeschreibung	Vimentin (57 kDa) is the most ubiquitous intermediate filament protein and the first to be expressed during cell differentiation. All primitive cell types express vimentin but in most non-mesenchymal cells it is replaced by other intermediate filamen...
Klonalität	Monoclonal
Konzentration	1 mg/ml
Klon-Bezeichnung	[VI-01]
Isotyp	Mouse IgM
Puffer	Tris buffered saline (TBS), pH 8.0, 15 mM sodium azide

Lagerung	2°C to 8°C
Target-Kategorie	Vimentin
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Immunocytochemistry: Staining technique: (a) fix cells for 10 min in methanol at -20C and for 6 min in acetone at -20C, (b) fix cells directly in methanol for 10 min at -20C or in acetone for 10 min at -20C. Positive control: 3T3 murine Swiss albino fibroblast cell line, RBL rat basophilic leukemia cell line. Flow cytometry: Recommended dilution: 1-5 µg/ml. Intracellular staining. Western blotting: Recommended dilution: 1 µg/ml.