

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD25 / IL2RA (Activated Lymphocyte Marker)(IL2RA/2394), CF640R conjugate, 0.1mg/mL, Clone: [IL2RA/2394], Mouse, Monoclonal BOT-BNC402394-500**

Article Name	CD25 / IL2RA (Activated Lymphocyte Marker)(IL2RA/2394), CF640R conjugate, 0.1mg/mL, Clone: [IL2RA/2394], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC402394-500
Supplier Catalog Number	BNC402394-500
Alternative Catalog Number	BOT-BNC402394-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Species Reactivity	Human
Immunogen	Recombinant human IL2RA protein fragment (around aa 42-183) (exact sequence is proprietary)
Conjugation	CF640R
Product Description	Recognizes a protein of 55 kDa, identified as CD25. It is expressed on activated T- and B-cells and activated monocytes/macrophages. With respect to lymphomas, CD25 is present on malignant cells of Hodgkins disease, HTLV-1 adult T-cell leukemia, cuta...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[IL2RA/2394]
Molecular Weight	55 kDa

UniProt	<a href="#">P01589</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry