

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti-Human IgM (μ chain), F(ab)2 fragment, TRITC conjugated, min, cross-reactivity to human IgG or IgA, Polyclonal AGR-AS10-1090

Article Name	Goat anti-Human IgM (μ chain), F(ab)2 fragment, TRITC conjugated, min, cross-reactivity to human IgG or IgA, Polyclonal
Biozol Catalog Number	AGR-AS10-1090
Supplier Catalog Number	AS10-1090
Alternative Catalog Number	AGR-AS10-1090
Manufacturer	Agrisera
Host	Goat
Category	Antikörper
Conjugation	tritic
Product Description	Goat anti-human IgM (μ chain), Rhodamine (TRITC-tetramethylrhodamine-5-isothiocyanate) conjugated, is a F(ab)2 fragment of a secondary antibody which binds human IgM in immunological assays. TRITC has $\lambda_{max} = 550 \text{ nm}$, $\lambda_{em} = 570 \text{ nm}$. Antibody is adsorbe...
Clonality	Polyclonal
Purity	Immunogen affinity purified IgG.
Form	Liquid
Antibody Type	Polyclonal Antibody
Application Dilute	The optimal working dilution should be determined by the investigator.